

University of Groningen

Continuous first-order orbital order-disorder transition in $\text{Nd}(1-x)\text{Ca}(x)\text{MnO}_3$

Colin, C. V.; Buurma, A. J. C.; Von Zimmermann, M.; Palstra, T. T. M.

Published in:
Journal of Physics-Condensed Matter

DOI:
[10.1088/0953-8984/20/43/434223](https://doi.org/10.1088/0953-8984/20/43/434223)

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version
Publisher's PDF, also known as Version of record

Publication date:
2008

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Colin, C. V., Buurma, A. J. C., Von Zimmermann, M., & Palstra, T. T. M. (2008). Continuous first-order orbital order-disorder transition in $\text{Nd}(1-x)\text{Ca}(x)\text{MnO}_3$. *Journal of Physics-Condensed Matter*, 20(43), [434223]. <https://doi.org/10.1088/0953-8984/20/43/434223>

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

Continuous first-order orbital order–disorder transition in $\text{Nd}_{1-x}\text{Ca}_x\text{MnO}_3$

C V Colin¹, A J C Buurma¹, M v Zimmermann² and T T M Palstra¹

¹ Zernike Institute for Advanced Materials, University of Groningen, The Netherlands

² Hamburger Synchrotronstrahlungslabor HASYLAB at Deutsches Elektronen-Synchrotron DESY, 22603 Hamburg, Germany

Received 7 July 2008

Published 9 October 2008

Online at stacks.iop.org/JPhysCM/20/434223

Abstract

The nature of the cooperative Jahn–Teller (JT) transition accompanied by orbital order–disorder in $\text{Nd}_{1-x}\text{Ca}_x\text{MnO}_3$ has been studied by high temperature (300–1200 K) synchrotron and laboratory x-ray powder diffraction in the low doping region ($0 \leq x \leq 0.1$). For very low doping a large temperature range of phase coexistence associated with a first-order transition has been observed, resembling a martensitic transformation. The transition appears continuous because of a gradual evolution of the volume fractions of the phases over a broad temperature interval. The first-order nature of the transition and the phase coexistence is suppressed with increasing doping.

(Some figures in this article are in colour only in the electronic version)

1. Introduction

Orbital physics is a key concept of the science and technology of transition metal oxides (see for example, Tokura and Nagaosa 2000 and references therein). The orbital degree of freedom in combination with charge and spin determine the physical properties in hole doped manganites. The lifting of the orbital degeneracy sets an energy scale intermediate to that of the crystal structure and the spin structure. The antisymmetrization of the total electronic wavefunction clearly implies that a strong relationship exists between the orbital and spin structures. The orbital state plays a crucial role in electronic properties. For instance, investigations of Ca doping in LaMnO_3 showed that the transition from an insulator to a ferromagnetic metal is not driven by the spin-exchange interactions, but instead by the suppression of long-range cooperative Jahn–Teller, JT, distortion or orbital ordering by doping with a critical concentration near 21% (Van Aken *et al* 2003).

Order–disorder phase transitions, in particular those involving spins, are generally second order. However, the orbital ordering transition is associated with a large structural distortion and can be first order. There exists a general consensus about the 1st order nature of the orbital ordering transition for the parent compound LaMnO_3 . However, there

is no consensus on the order parameter, and the transition has mostly been probed using indirect parameters such as asymmetry in the distortion of Mn–O bond lengths, or molar volume. There are presently no convenient probes to measure the orbital order parameter directly. This situation is further complicated for the manganite perovskites, where the orbital ordered state is isostructural in the space group $Pbnm$, and occurs at elevated temperatures, $T_{\text{OO}} > 700^\circ\text{C}$. The large Debye–Waller factor and low electron density of oxygen make accurate structure determinations at these high temperatures time consuming for synchrotron/neutron diffraction measurements and often impossible for laboratory diffraction.

LaMnO_3 has been studied structurally in powder diffraction experiments by Rodríguez-Carvajal *et al* (1998), Prado *et al* (1999), Chatterji *et al* (2003). They observed a phase transition in LaMnO_3 from an orbital ordered orthorhombic O' phase at low temperature to an orbital disordered orthorhombic O phase at elevated temperature where the crystallographic symmetry is retained. Although the O' and O phases have the same crystallographic space group, they differ in molar volume. Furthermore, the low temperature O' phase shows a staggered e_g orbital pattern in the basal plane which results in alternating Mn–O bond lengths associated with the Jahn–Teller effect. Static Jahn–Teller

distortions become suppressed at high temperature where dynamic orbital ordering can still survive, as evidenced by local atomic structure probe techniques (Sánchez *et al* 2003, Qiu *et al* 2005). Rodríguez-Carvajal *et al* (1998) found an endothermic peak using DTA at the orbital ordering transition. The presence of latent heat for LaMnO_3 establishes the first-order nature of the orbital order–disorder transition.

The orbital order–disorder transition in LaMnO_3 was studied by Zhou and Goodenough (2003) using electric and thermal transport experiments. They identified two separate transition temperatures, T^* and T_{JT} . The position of T^* was determined by a deviation from linear behavior in a $\ln(\rho/T)$ versus T plot, typically used to determine the activation energy for phonon assisted hopping. T_{JT} is associated with a jump in the Weiss constant and a large change in resistivity. Thus the transition was interpreted as follows: below T^* , a long-range (cooperatively) orbitally ordered phase exists. Between T^* and T_{JT} the volume fraction of an orbitally disordered phase with short-range fluctuating Jahn–Teller distortions starts to grow with temperature. Ultimately, the orbitally disordered phase is present above T_{JT} .

The situation for the smaller rare-earth manganites and for the doped compounds is less clear and less studied. For the undoped compounds, the only structural studies are on PrMnO_3 (Sánchez *et al* 2002) and NdMnO_3 (Maris *et al* 2004). The observed latent heat in DTA for PrMnO_3 (Sánchez *et al* 2002) and phase coexistence in NdMnO_3 as observed in diffraction experiments by Maris *et al* provide evidence for a first-order phase transition. In contrast to these results, Zhou and Goodenough (2003) observed a cross-over from a first-order to a second-order phase transition when they decreased the rare-earth radius in transport measurements on single crystals of LaMnO_3 , PrMnO_3 and NdMnO_3 . A comparable effect was found by Bhattacharya *et al* (2004), who progressively substituted La by Nd at the A-site. The cross-over from a first-order to second-order phase transition is reflected in a gradual change from a jump in resistivity associated with the orbital order–disorder phase transition in LaMnO_3 to a more continuous decrease in temperature dependent resistivity for smaller rare earths, combined with a decrease in latent heat for large Nd doping of LaMnO_3 using DSC experiments.

Divalent A-site doping replaces Jahn–Teller active Mn^{3+} ions by Jahn–Teller inactive Mn^{4+} ions and therefore disrupts the cooperative long-range orbital order mediated by the corner-shared oxygens of the octahedra. Chatterji *et al* have performed two studies on Calcium (2006) and (2004) doped LaMnO_3 where it was shown that the magnitude of the discontinuous step in molar volume decreases and that the first-order phase transition gradually softens to become a (second-order-like) continuous phase transition.

Depending on the type of experiment, the exact nature of the phase transition is interpreted differently. The characterization of the orbital order–disorder phase transition is a central issue in this paper. We report the effect of low Ca doping on the orbital ordering transition in $\text{Nd}_{1-x}\text{Ca}_x\text{MnO}_3$ based on high temperature x-ray powder diffraction measurements. A large temperature range of phase

coexistence (>150 K) associated with a first-order transition has been observed for low doping ($x = 0, 0.02$). The phase fractions evolve continuously from the low temperature phase to the high temperature phase, resembling a martensitic transformation. At higher doping, the first-order nature of the transition and the phase coexistence are suppressed.

We show that non-thermodynamic probes such as response functions and transport experiments are difficult to interpret. In essence, for low doping, transitions remain first order in nature, evidenced by a discontinuous temperature dependence of the lattice constants. However, the transition appears continuous because of a gradual evolution of the volume fractions of the phases over a broad temperature interval.

2. Experimental details

Polycrystalline samples of $\text{Nd}_{1-x}\text{Ca}_x\text{MnO}_3$ ($x = 0, 0.02, 0.05, 0.1$) were prepared in a conventional solid-state reaction by mixing stoichiometric amounts of Nd_2O_3 , CaCO_3 and MnO_2 . Phase purity was confirmed by powder x-ray diffraction (PXRD). Oxygen stoichiometry was checked by the redox titration method (Yang *et al* 2005). Variable temperature PXRD data were collected using a Huber diffractometer with $\text{Mo K}\alpha_1$ radiation. Several synchrotron PXRD datasets of $\text{Nd}_{1-x}\text{Ca}_x\text{MnO}_3$ ($x = 0.02$ and 0.05) were collected on the BW5 diffractometer (Bouchard *et al* 1998) at Hasylab in Hamburg, Germany, using an x-ray wavelength of $0.124\,20\text{ \AA}$. Data were collected between $1.5^\circ \leq 2\theta \leq 6.5^\circ$ and binned with a step size 0.0025° for full structure refinement at 300, 600 and 1250 K. The powder samples were placed in a quartz capillary and heated by means of a thermal-image furnace. The temperature was measured by a thermocouple. The evolution of specific peaks with temperature was followed by scanning between $3.65^\circ \leq 2\theta \leq 3.8^\circ$ in 20 K steps. The GSAS suite of programs (Larson and Von Dreele 2000) was used for Rietveld fitting of the PXRD data.

3. Results

3.1. Crystal structure at room temperature

We have investigated the structure of stoichiometric NdMnO_3 and $\text{Nd}_{1-x}\text{Ca}_x\text{MnO}_3$ in the low doping range for $x = 0.02, 0.05$ and 0.10 by PXRD. All the samples were found to crystallize in an orthorhombic structure without the extra diffraction peaks indicative of impurities. The room temperature crystal structure of all four samples is orthorhombic (space group $Pbnm$). Figure 1(a) shows the evolution of the lattice parameters as a function of doping at room temperature from lab XRD data. Error bars are smaller than the symbols. All the samples have a ratio of unit cell parameters $c/\sqrt{2} < a < b$ corresponding to the so-called O' -orthorhombic structure (Goodenough *et al* 1961). The lattice parameter a is hardly affected by the doping whereas the lattice parameter b decreases strongly. The lattice parameter c increases with increasing doping.

The JT distortion parameter Δ is defined as the variance of the Mn–O distances d_n ($n = 1, 6$): $\Delta = (1/6) \sum_{n=1,6} [(d_n - \langle d \rangle) / \langle d \rangle]^2$. The distortion modes characterizing the JT effect




Figure 1. Room temperature doping variation of the (a) lattice parameters of $\text{Nd}_{1-x}\text{Ca}_x\text{MnO}_3$, (b) JT distortion parameter Δ and the two octahedral distortion modes Q_2 and Q_3 (inset) defined in the text.

are defined as: $Q_2 = 2(l-s)/\sqrt{2}$ and $Q_3 = 2(2m-l-s)/\sqrt{6}$ with l and s the long and short Mn–O distances in the ab plane and m the medium out-of-plane Mn–O bond length (Kanamori 1960). Using these definitions, we plot in figure 1(b) the JT parameter Δ and the two octahedral distortion modes Q_2 and Q_3 as a function of Ca doping. In $\text{Nd}_{1-x}\text{Ca}_x\text{MnO}_3$, the JT-active Mn^{3+} ions are replaced by non-JT-active Mn^{4+} ions upon Ca doping. Because of the corner-sharing nature of the perovskite structure, the JT parameter Δ decreases with increasing Mn^{4+} content; it is reduced by one third for 10% doping but not suppressed. The decrease of the JT distortion by doping is also reflected in the modes Q_2 and Q_3 that are also reduced by a factor of 2 at $x = 0.1$.

3.2. Investigation of JT transition in $\text{Nd}_{1-x}\text{Ca}_x\text{MnO}_3$ at high temperature

Figure 2 shows the thermodiffractograms of $\text{Nd}_{1-x}\text{Ca}_x\text{MnO}_3$ for $x = 0.02$ (a) and $x = 0.05$ (b) for a range of temperatures across T_{JT} , measured using lab PXRD. Figure 2(a) illustrates the evolution of the 220 peak of the low temperature (LT or O') and high temperature (HT or O) phases of the 2% calcium doped Nd manganite. The transition is discontinuous and we note that peaks corresponding to the high and low temperature phases coexist in a temperature range of at least




Figure 2. X-ray thermodiffractogram of $\text{Nd}_{1-x}\text{Ca}_x\text{MnO}_3$ for $x = 0.02$ (a) and $x = 0.05$ (b) showing the diffraction peaks of the low temperature (LT or O') and high temperature (HT or O) phases and their temperature dependence.

150 K. To illustrate how the Jahn–Teller transition evolves with doping, we show in figure 2(b) a thermodiffractogram of $\text{Nd}_{1-x}\text{Ca}_x\text{MnO}_3$ for $x = 0.05$. Here we choose to follow the 220 and 004 peaks close to the Jahn–Teller transition. In this case, the transition is more continuous and we do not observe phase coexistence. Rietveld refinement of the complete diffraction profiles yielded the lattice parameters as a function of temperature, plotted for $x = 0.02$ and 0.05 in figure 3. Error bars are smaller than the symbols. We can distinguish two types of behavior depending on the doping level: for the low doping ($x = 0.02$, panel (a)) we note that the lattice parameter b decreases continuously with temperature and then drops abruptly at T_{JT} , whereas the lattice parameter $c/\sqrt{2}$ increases continuously and expands abruptly at T_{JT} . The lattice parameter a is almost temperature independent. It is necessary to refine the diffraction profiles for temperatures from 620 to 770 °C using two phases. The volume fractions of the O' (low temperature) and O (high temperature) phases as a function of temperature are plotted in the inset. The phase fractions were calculated from the Rietveld refinement via the relation $f_p = (S_p V_p) / (\sum_{i=1}^N S_i V_i)$, where p is the value of i for a particular phase among the N phases present, S_i and V_i are the refined scale factor and the volume of the unit cell for the i th phase, respectively. There is a continuous change in the phase fraction, from the low temperature phase to the high temperature phase, over more than 150 K. For higher doping ($x = 0.05$ and 0.1, panel (b)), the diffraction data can be modeled adequately by a single phase. The change in the




Figure 3. (a) Temperature variation of the lattice parameters of $\text{Nd}_{1-x}\text{Ca}_x\text{MnO}_3$ for $x = 0.02$. The filled and open symbols correspond to the low temperature O' and high temperature O phases, respectively. The hatched area represents the range of temperature of phase coexistence. The inset shows the fraction of the O' and O phases as a function of temperature. (b) Temperature variation of the lattice parameters of $\text{Nd}_{1-x}\text{Ca}_x\text{MnO}_3$ for $x = 0.05$. The dashed lines show the extrapolation of the high temperature dependence of the lattice parameters.

lattice parameters is smooth, continuous and shows no abrupt change at the phase transition temperature.

4. Discussion

The classification scheme of phase transitions makes a division into two broad categories based on the behavior of the temperature derivatives of the free energy. First-order phase transitions involve a discontinuous change in the intrinsic thermodynamic variables, such as molar volume, and are associated with latent heat. The second class of phase transitions are the 'continuous phase transitions', also called second-order phase transitions. These transitions do not involve latent heat but exhibit critical phenomena, such as with order-disorder transitions. Phase coexistence arises only from first-order transitions. Electronic phase coexistence can thus be associated with metal-insulator or orbital ordering transitions. Phase coexistence implies that superheating/cooling effects are




Figure 4. (a) Temperature variation of the lattice parameter b of $\text{Nd}_{1-x}\text{Ca}_x\text{MnO}_3$ for $x = 0, 0.02, 0.05, 0.1$. The hatched areas represent the temperature of phase coexistence. The arrows mark the orbital ordering transition temperature T_{JT} . (b) Doping dependence of the orbital ordering transition temperature T_{JT} . The upper and lower limits of the phase coexistence regime are indicated by bars. The hatched area represents the phase coexistence regime.

not dominant, and that the kinetics of the transition allow the formation of a state in thermodynamic equilibrium by adjusting the volume fraction continuously.

Chatterji *et al* (2006) use the unit cell volume as an order parameter of the phase transition in $\text{La}_{1-x}\text{Ca}_x\text{MnO}_3$. They observed a drop of the volume at T_{JT} . We prefer to use the lattice parameter b to locate the transition temperature: the long bonds in the JT-distorted phase are oriented more along b than along a , giving rise to an expansion of the unit cell along b below T_{JT} . It can thus be used as an order parameter to probe where T_{JT} lies. Figure 4(a) shows the evolution of the lattice parameter b as a function of temperature for $\text{Nd}_{1-x}\text{Ca}_x\text{MnO}_3$ for $x = 0, 0.02, 0.05, 0.1$. Error bars are smaller than the symbols. The discontinuity in b for $x = 0$ and 0.02 is a signature of the first-order nature of the transition. This transition also presents a phase coexistence regime, clearly observed in the diffraction data. The diffraction peaks of the high temperature and low temperature phases are simultaneously present. The temperature T_{JT} is defined as the middle of the phase coexistence regime. For $x = 0.05$ and 0.1 the continuous development of b indicates a second-order transition. The transition temperature is defined by the

onset of the deviation from the high temperature trend in *b*. All the transition temperatures as well as the limits of phase coexistence regime are displayed in figure 4(b) as a function of doping.

The orbital ordering transition for $\text{Nd}_{1-x}\text{Ca}_x\text{MnO}_3$ in the low doping region ($x = 0, 0.02$) is first order, as reflected in the jump in lattice parameters, and is similar to that observed in Ca doped LaMnO_3 . The cross-over from first to second order with increase of doping has also been reported for Ca and Ba doped LaMnO_3 (Chatterji *et al* 2004, 2006). Maitra *et al* (2004) proposed that anharmonic coupling exists between the JT distortion (first-order parameter) and volume strain (second-order parameter). A reduction of this coupling would then lead to the observed cross-over behavior. However, this is a phenomenological theory and does not explain how Ca doping could reduce the anharmonic coupling parameter.

A striking feature of the Nd manganite series is that the regime of phase coexistence is particularly large: more than 200 K for the undoped and more than 150 K for the 2% doped sample. In comparison, for the La series this regime covers an interval of 10–30 K (Chatterji *et al* 2006). In the phase coexistence regime there is a continuous change of the phase fractions with temperature. This indicates thermodynamic equilibrium.

This transition presents some resemblance to martensitic transformations. Although some displacive phase transitions may be thermodynamically second or higher order, the martensitic transformation involves large distortions of the unit cell and is first order. The martensitic transformation is diffusionless, the change in crystal structure being achieved by a deformation of the parent phase and large changes in the lattice parameters. The shape deformation accompanying the transformation can be reversed by transforming back to the parent phase. Despite its first-order nature, the martensitic transition requires heating or cooling over a significant temperature interval to reach completion and is characterized by start and finish temperatures, T_S and T_F . The nucleation and growth of domains of the transformed phase in a matrix of the untransformed phase can occur very quickly. However, when there is a mismatch of the lattice parameters at the interfaces of the transformed domains, long-range, anisotropic strain fields develop and hinder continued transformation in the rest of the sample. Martensites are recognizable by morphology, as the transition proceeds preferably via strain-free interface planes. Although this type of transition is named after the steel alloy martensite, it has also been reported at the first-order charge-ordering transition in manganites at much larger dopings (Podzorov *et al* 2001, Kolb *et al* 2004, Lu *et al* 2006). It may also apply to the current systems, as in both cases the transition involves the onset of long-range orbital ordering; this happens together with charge ordering in the higher doped systems.

The analogy with martensites may indicate why sample to sample variations result in different observed behavior. Most of the transport measurements in the literature have been performed on single crystal samples, whereas most of the diffraction experiments have been performed on powders. In powders there is a larger distribution of grain sizes and shapes

(and possibly compositions) which gives rise to different parts of the sample undergoing the transition at different temperatures. That is, the energy barrier to the transition varies according to the grain morphology. This results in the phase coexistence region of the bulk sample being larger, but does not change the nature of the transition. A single crystal sample is much more ‘uniform’. For instance in pure LaMnO_3 , Prado *et al* (1999) have reported a phase coexistence regime of 100 K in a powder/polycrystalline sample whereas 10 K is reported for crushed single crystal (Rodríguez-Carvajal *et al* 1998, Chatterji *et al* 2006), which is a polycrystalline material with a homogeneous composition. We note that a marked dependence of physical properties on grain size was observed in LaMnO_3 by Das *et al* 2006. Furthermore, the shape memory effects that have been studied in thermoelastic martensitic metals were also observed in small rare-earth manganites (RMnO_3 , $R = \text{Nd-Dy}$) by Kasper and Troyanchuk (1996).

If the orbital ordering transition in the current system for doping less than 2% is of martensitic nature, this may also help to explain the cross-over to second-order character at higher dopings. The change in lattice parameters at the transition becomes much smaller with doping (figure 3) and thus strain will be reduced in the higher doped samples. Beyond a critical doping concentration, between 2% and 5%, the structure may be able to accommodate the JT distortion in a gradual fashion as it sets in, without the need to adjust for strain with the martensitic mechanism. However, further studies would be needed to demonstrate the presence of a martensitic transition in the current systems and conclusions cannot be made from diffraction data alone.

We note that phase coexistence involving orbital ordering in transition metal oxides can also have a different origin, as observed in SmVO_3 (Sage *et al* 2006). There, the phase coexistence of orbital orderings of different symmetry sets in at low temperature (115 K), where both phases initially have the same molar volume. The phase coexistence is the result of magnetic exchange striction, which provides the coupling to the lattice.

In samples exhibiting electronic phase coexistence it is easy to misinterpret thermodynamic and transport measurements. They measure the average properties of the bulk sample and thus do not probe the properties of the individual phases. This explains why the orbital order–disorder transition in manganites has been assigned as either first or second order, depending on the type of experiment. For instance, in pure PrMnO_3 and NdMnO_3 the transition is seen as 1st order by diffraction (Maris *et al* 2004) but as 2nd order by transport (Zhou and Goodenough 2003) and latent heat (Bhattacharya *et al* 2004). The picture of a phase coexistence region with continuously varying phase fractions reconciles these two points of view. Furthermore, our measurements show that the two consecutive phase transitions T_{JT} and T^* found by transport and thermoelectric power measurements (Zhou and Goodenough 2003) should be interpreted as the two temperatures defining the phase coexistence regime of the unique first-order orbital ordering transition. To conclude, non-thermodynamic probe measurements of the JT transition at low doping should be interpreted as first order with phase

coexistence. For a much higher doping the transition is second order. The calcium concentration x_c of the cross-over between first and second order is $0.075 > x_c > 0.1$ for the La series and $0.02 > x_c > 0.05$ for the Nd series. There is too little data to delineate the rare-earth dependence of the cross-over concentration.

5. Conclusion

In summary, we show experimental evidence of the cross-over from a first to a second-order transition with doping for the onset of orbital ordering in low doped $\text{Nd}_{1-x}\text{Ca}_x\text{MnO}_3$. A large temperature range of phase coexistence (>150 K) associated with the first-order transition has been observed for low doping ($x = 0, 0.02$) and has features characteristic of a martensitic transition. The phase fraction evolves continuously from the low temperature phase to the high temperature phase. At higher doping, the first-order nature of the transition and the phase coexistence are suppressed.

Acknowledgments

We thank G R Blake for helpful discussions. This work is supported by the European Community under Grant COMEPHS No. NMPT4-CT-2005-517039.

References

- Bhattacharya D, Devi P S and Maiti H S 2004 *Phys. Rev. B* **70** 184415
- Bouchard R, Lippmann T, Neufeld J, Neumann H-B, Poulsen H F, Rütt U, Schmidt T, Schneider J R, Süßenbach J and Zimmermann M v 1998 *J. Synchrotron Radiat.* **5** 90–101
- Chatterji T, Fauth F, Ouladdiaf B, Mandal P and Ghosh B 2003 *Phys. Rev. B* **68** 052406
- Chatterji T, Ouladdiaf B, Mandal P and Ghosh B 2004 *Solid State Commun.* **131** 75
- Chatterji T, Riley D, Fauth F, Mandal P and Ghosh B 2006 *Phys. Rev. B* **73** 094444
- Das N, Mondal P and Bhattacharya D 2006 *Phys. Rev. B* **74** 014410
- Goodenough J B, Wold A, Arnett R J and Menyuk N 1961 *Phys. Rev.* **124** 373
- Kanamori J 1960 *J. Appl. Phys.* **31** 14S
- Kasper N V and Troyanchuk I O 1996 *J. Phys. Chem. Solids* **57** 1601–7
- Kolb P W, Romero D B, Drew H D, Moritomo Y, Souchkov A B and Ogale S B 2004 *Phys. Rev. B* **70** 224415
- Larson A C and Von Dreele R B 2000 *Los Alamos National Laboratory Report* LAUR 86-748
- Lu W J, Sun Y P, Zhao B C, Zhu X B and Song W H 2006 *Phys. Rev. B* **73** 214409
- Maitra T, Thalmeier P and Chatterji T 2004 *Phys. Rev. B* **69** 132417
- Maris G, Volotchaev V and Palstra T T M 2004 *New J. Phys.* **6** 153
- Podzorov V, Kim B G, Kiryukhin V, Gershenson M E and Cheong S-W 2001 *Phys. Rev. B* **64** R140406
- Prado F, Zysler R, Morales L, Caneiro A, Tovar M and Causa M T 1999 *J. Magn. Magn. Mater.* **196/197** 481–3
- Qiu X, Proffen Th, Mitchell J F and Billinge S J L 2005 *Phys. Rev. Lett.* **94** 177203
- Rodríguez-Carvajal J, Hennion M, Mousa F and Moudden A H 1998 *Phys. Rev. B* **57** R3189
- Sage M H, Blake G R, Nieuwenhuys G J and Palstra T T M 2006 *Phys. Rev. Lett.* **96** 036401
- Sánchez D, Alonso J A and Martínez-Lope M J 2002 *J. Chem. Soc. Dalton Trans.* **2002** 4422–5
- Sánchez M C, Subías G, García J and Blasco J 2003 *Phys. Rev. Lett.* **90** 045503
- Tokura Y and Nagaosa N 2000 *Science* **288** 462
- Van Aken B B *et al* 2003 *Phys. Rev. Lett.* **90** 066403
- Yang J, Song W H, Ma Y Q, Zhang R L and Sun Y P 2005 *J. Magn. Magn. Mater.* **285** 417
- Zhou J-S and Goodenough J B 2003 *Phys. Rev. B* **68** 144406